

CNP防水盒系列




CNP WATER-PROOF JUNCTION BOX SERIES

Material of shell: Polyamide PC

Waterproof O-Ring: Silicon

Temperature range: -30°C~+105°C

Protection degree: IP68



一进一出/one in and one out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP723-2T	73x46x34	133x66x41.3	5-10/6-11



一进二出/one in and two out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP723-3T	73x46x34	133x81x41.3	3-6.5/7-12



一进三出/one in and three out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP723-4T-A	73x46x34	133x81x41.3	3-6.5/7-12



二进二出/two in and two out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP723-4T-B	73x46x34	103x96x41.3	3-6.5/7-12



一进四出/one in and four out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP723-5T	73x46x34	117x96x41.3	3-6.5/7-12

CNP防水盒系列




CNP WATER-PROOF JUNCTION BOX SERIES

Material of shell: Polyamide PC

Waterproof O-Ring: Silicon

Temperature range: -30°C~+105°C

Protection degree: IP68



产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP723-6T	73x46x34	133x96x41.3	3-6.5/7-12



二进四出/two in and four out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725-2T	78x63x34	138x83x41.3	3-6.5/7-12



一进一出/one in and one out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725-3T	78x63x34	138x98x41.3	3-6.5/7-12



一进二出/one in and two out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725-4T-A	78x63x34	138x98x41.3	3-6.5/7-12



一进三出/one in and three out

CNP防水盒系列




CNP WATER-PROOF JUNCTION BOX SERIES

Material of shell: Polyamide PC

Waterproof O-Ring: Silicon

Temperature range: -30°C~+105°C

Protection degree: IP68



二进二出/two in and two out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725-4T-B	78x63x34	108x111x41.3	3-6.5/7-12




一进四出/one in and four out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725-5T	78x63x34	122x111x41.3	3-6.5/7-12



二进四出/two in and four out

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725-6T	78x63x34	138x111x41.3	3-6.5/7-12



进出线口方向/数量定制版

产品名称 Product name	内部尺寸 (mm) Inside dimension AxBxC	外部尺寸 (mm) Outside dimension AxBxC	接线范围 Cable gland OD(mm)
CNP725(定制版)	78x63x34	108x83x41.3	3-6.5/7-12